



Spartan Chemical Company, Inc.

Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

RAPID TRANSIT

Product Number: 3014

Product Division:

Janitorial

Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee OH 43537

Product/Technical Information: **1-(800)-537-8990**
Medical Emergency: **1-(888)-314-6171 (24 hours)**
Chemical Leak/Spill Emergency: **CHEMTREC 1-(800) 424-9300 (24 hours)**

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:

Health: 1- Slight

Fire: 0 - Minimal

Reactivity: 0 - Minimal

HMIS Ratings:

Health: 1- Slight

Fire: 0 - Minimal

Reactivity: 0 - Minimal

Pers. Prot. Equip.: B - Safety Glasses; gloves

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

| Chemical Name(s) | %Wt | CAS Registry No. | Table Z-1-A | | | Carcinogen |
|--------------------------|-------|------------------------|--------------------------|---------------------------|------------------------------|------------|
| | | | TWA mg/m ³ | STEL mg/m ³ | CEILING mg/m ³ | |
| Sodium nitrilotriacetate | 01-05 | 5064-31-3 | Not Established | Not Established | Not Established | Yes - NTP |

SECTION III: PHYSICAL DATA

Boiling Point: 212 °F

Vapor Density (AIR = 1): Unknown

pH: 11.7-12.2

Evaporation Rate (but.ace.=1): <1

Physical State: Liquid

Appearance & Odor: Pale yellow, water-thin liquid, clean fragrance

Vapor Pressure: 18 mm Hg @ 75°F

Solubility in Water: Complete

Specific Gravity (H₂O=1): 1.054

Percent Solid by Weight: 18-20

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: None

Flammable Limits: N/A

Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Unusual Fire & Explosive Hazards: N/A

Method Used: ASTM-D56

Flame Extension: N/A

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value: Not Established

Primary Routes of Entry: Skin Contact

Effects of Overexposure- May cause eye and skin irritation. Avoid prolong skin contact; dryness will occur.

Conditions to Avoid:

Conditions Aggravated by Use: Unknown

Emergency & First Aid Procedures:

Eyes: In case of contact; immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Call a physician.

Skin: In case of contact; flush skin with water. Wash clothing before reuse.

Ingestion: If swallowed; give large quantities of water or fruit juice. Call a physician immediately.

SECTION VI: REACTIVITY DATA

Stability: Stable

Incompatible Materials: Strong acids and strong oxidizing agents.

Hazardous Decomposition Products: None known

Hazardous Polymerization: Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case

Material is Released or Spilled: Flush with water through normal sewer system.

Waste Disposal Method: Same as above

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: None required

Ventilation: Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.

Protective Gloves(Specify Type): Impervious gloves

Eye Protection(Specify Type): Approved safety glasses

Other Protective Equipment: None required

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Nothing special

Other Precautions: None

© SCC 09/28/99

Name: Ronald T. Cook

Title: Manager, Regulatory Affairs

RAPID TRANSIT

Effective Date: 09/28/99

Supercedes: 02/11/98

Ref: 29 CFR 1910.1200 (OSHA)

Changes: Address and Format

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.